



# **BATANGAS STATE UNIVERSITY'S** (BATSTATEU'S) POLICY GUIDELINES FOR SUSTAINABLE DEVELOPMENT



































landscaping projects of the university to encourage local biodiversity.

- 1.1.2.8 The University shall encourage establishment and protection of botanical gardens and arboretums whenever feasible.
- 1.1.2.9 Indiscriminate introduction of plants and animals as in the case of, but not limited to, random dispersal of seeds and release of animals within the campus shall not be permitted.

### 1.2. Water Usage and Care

The following are the specific policy guidelines for better wastewater management on the different campuses of the University:

#### 1.2.1 Water Usage and Conservation Management

- 1.2.1.1 Inspection and monitoring of the water distribution system (faucets, bidets, water closets, toilet flush and pipes) shall be ensured so that no unused water leakage is wasted. Metering and other measures to detect water leakage shall be used to ensure water conservation. Reporting of leakage to the Project and Facilities Management Office (PFMO) must be done immediately for prompt action.
- 1.2.1.2 Regular monitoring of water consumption per building and reporting the total water usage of different campuses shall be practiced.
- 1.2.1.3 In the procurement of plumbing fixtures and fittings, buying water-efficient ones (water closet with dual flush, low-flow faucets or bidets, etc.) shall be prioritized.
- 1.2.1.4 High-pressure but low-volume spray nozzles on spray washers for cleaning the University vehicle, driveways, pathways, or pavements shall be installed.
- 1.2.1.5 A rainwater harvesting facility to maximize the use of available water shall be established.
- 1.2.1.6 The use of treated wastewater, harvested rainwater and the water from fountains for cleaning, flushing purposes and car washing shall be maximized.
- 1.2.1.7 Insofar as practicable, non-toxic bricks or plastic containers shall be placed in a toilet tank to reduce the amount of water used per flush. A toilet dam that creates a reservoir of water when the toilet flushes shall also be utilized in place of the displacement device.

1.2.1.8 A water efficiency management plan for the plumbing and piping system of the water being released in the water retention facility shall be developed.

#### 1.2.2 Water Quality Monitoring

- 1.2.2.1 The number and location of university-wide water sampling stations based on the proximity of the campuses and possible sources of contamination shall be established. The sampling stations shall include university deep wells, artesian wells, aquifers, water districts and similar bodies of water.
- 1.2.2.2 A regular sampling and analysis of environmental water quality parameters using the approved and/or Standard Methods for Examination of Water and Wastewater shall be conducted.

#### 1.2.3 Wastewater Treatment Facility

1.2.3.1 Wastewater generated from buildings shall be collected. *Provided, however, That* applicable treatment prior to its disposal through the Sewage Treatment Plant (STP) whose effluent complies with general effluent standard set by Department of Environment and Natural Resources through DENR AO 2016-08 is in place.

### 1.2.4 Discharging of Wastewater

- 1.2.4.1 Generated wastewater from the comfort rooms shall be directly discharged in a septic tank and regularly siphoned by a DENR Accredited TSD Facility.
- 1.2.4.2 Generated liquid waste from the laboratory in terms of liquid shall be properly stored, collected, and managed through EMU Office, then it shall be transported, and treated by a DENR-approved Treatment facility.

#### 1.3. Wildlife Protection

- 1.3.1 An ecosystems-based approach to campus development shall be pursued by the University to ensure healthy and sustainable coexistence of the University population with the biodiversity on campus.
- 1.3.2 Conservation and protection of wildlife species and their habitats shall be paramount to promote ecological balance and enhance biological diversity.

### **BATANGAS STATE UNIVERSITY**



**The National Engineering University** 

### **ACCESS TO FREE DRINKING WATER**





**22** drinking fountains

185 water dispensers

The University has installed 22 drinking fountains and provided 185 water dispensers to provide safe drinking water to students and staff. The water is sourced from DOH-accredited refilling stations and undergoes treatment to meet national standards.

In 2023, the university consumed an average of **27,695.798 gallons of treated water.** 

Source: Environmental Management Unit

### **BATANGAS STATE UNIVERSITY**

**The National Engineering University** 

## **ACCESS TO FREE DRINKING WATER**

### Water Fountains and Dispensers Across BatStateU Campuses





CLEAN AS



Water fountain in between CTE building & Command Center

Water fountains inside cafeteria







**Water Dispensers** 

Source: Environmental Management Unit